

In the Claims:

Per the new rules, all claims, including those not changed by the present amendment, have been included.

I CLAIM:

(Currently amended) 1. A coffee grinder with a coffee bean container comprising:
the coffee bean container having at least two compartments;
each compartments ~~having further comprising~~ an output opening;
a bottom-side output shaft common to ~~both said~~ compartments and connected to the
compartments with the outputs openings extending there between;
a grinding mill disposed beneath the output shaft; and
a closure element for the closing of an output opening of at least one compartment,
wherein the closure element forms with the grinding mill a single unit and the
coffee bean container is disposed rotatably relative to the unit formed of the
closure element and the grinding mill.

(Withdrawn) 2. Coffee grinder as claimed in claim 1, wherein the closure element is
developed as a disk by which a open input of the grinding mill is partially closed.

(Currently amended) 3. Coffee grinder as claimed in claim 1, wherein the coffee bean
container further comprises:
a guide element for supplying ~~of~~ coffee beans into the output shaft;
the closure element disposed beneath the guide element; and
the contour of the closure element being adapted to the underside of the guide element
and the outputs- openings of the compartments.

(original) 4. Coffee grinder as claimed in claim 2 or 3, wherein the closure element is connected form-fittingly relative to the rotatability of the coffee bean container with the grinding mill or its housing.

(original) 5. Coffee grinder as claimed in claim 4, wherein the closure element has a radially projecting toe to engage a seating of the grinding mill.

(amended) 6. Coffee grinder as claimed in one of claims 1, 2 or 3, wherein the coffee bean container comprises an encircling collar encompassing the output shaft into which extends the grinding mill.

(Previously presented) 7. Coffee grinder as claimed in one of claims 1, 2 or 3, wherein the coffee bean container is detachably connected to the grinding mill by a bayonet lock.

(original) 8. Coffee grinder as claimed in claim 6, wherein the coffee bean container is detachably connected to the grinding mill by a bayonet lock.

(Currently amended) 9. Coffee grinder as claimed in one of claims 1, 2 or 3, wherein the coffee grinder is mounted in an automatic coffee maker.

(Currently amended) 10. Coffee grinder as claimed in claim 6, wherein the coffee grinder is ~~mounted in~~ attached to an automatic coffee maker.

(Currently amended) 11. Coffee grinder as claimed in claim 8, wherein the coffee grinder is ~~mounted in~~ attached to an automatic coffee maker.

(withdrawn) 12. Automatic coffee maker with a coffee grinder comprising;
a coffee bean container with a bottom-side output shaft;

a grinding mill disposed beneath the output shaft;
the coffee bean container having at least two compartments, each having an output opening into the output shaft; and
a closure element functioning to close the output opening (of at least one compartment wherein the closure element forms with the grinding mill a single unit and the coffee bean container is rotatably and removably mounted on the unit formed of the closure element and the grinding mill.

(withdrawn) 13. Automatic coffee maker as claimed in claim 12, wherein the closure element is developed in the manner of a disk which partially closes a open input of the grinding mill.

(withdrawn) 14. Automatic coffee maker as claimed in claim 12, wherein the coffee bean container further comprises:
a guide element for supplying of coffee beans into the output shaft;
the closure element disposed beneath the guide element; and
the contour of the closure element being adapted to the underside of the guide element and the outputs openings the compartments.

(withdrawn) 15. Automatic coffee maker as claimed in claim 12 or 13, wherein the closure element is connected form-fittingly relative to the rotatability of the coffee bean container with the grinding mill.

(withdrawn) 16. Automatic coffee maker as claimed in claim 15, wherein the closure element has a radially projecting toe to engage a seating of the grinding mill.

(withdrawn) 17. Automatic coffee maker as claimed in one of claims 12, 13 or to 14, wherein the coffee bean container further comprises an encircling collar encompassing the output shaft into which extends the grinding mill.

(withdrawn) 15. Automatic coffee maker as claimed in one of claims 12, 13 or 14, wherein the coffee bean container is divided into the at least by a removable wall.

(withdrawn) 16. Automatic coffee maker as claimed in one of claims 12, 13 or 14, wherein the coffee bean container is detachably to the grinding mill with a bayonet lock.